

L Number	Hits	Search Text	DB	Time stamp
-	67950	obscur\$5 OR obfusc\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:55
-	677965	(code AND computer) OR software OR (program AND computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:39
-	24255	((code AND computer) OR software OR (program AND computer)) and (obscur\$5 OR obfusc\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:39
-	17	713/190.CCLS. and (obscur\$5 OR obfusc\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:41
-	283	713/200 and (obscur\$5 OR obfusc\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:41
-	1080067	(tamper\$4 NEAR resist\$4) OR (reverse engineer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:16
-	8026	((code AND computer) OR software OR (program AND computer)) and (obscur\$5 OR obfusc\$6) and ((tamper\$4 NEAR resist\$4) OR (reverse engineer\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:16
-	3212068	instruction\$1 OR code OR program OR module OR software	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:22
-	941	(obscur\$5 OR obfusc\$6) NEAR5 (instruction\$1 OR code OR program OR module OR software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:53
-	725	((obscur\$5 OR obfusc\$6) NEAR5 (instruction\$1 OR code OR program OR module OR software)) and ((code AND computer) OR software OR (program AND computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:25
-	270	((obscur\$5 OR obfusc\$6) NEAR5 (instruction\$1 OR code OR program OR module OR software)) and ((code AND computer) OR software OR (program AND computer))) and ((tamper\$4 NEAR resist\$4) OR (reverse engineer\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:26
-	2	5748741.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 16:18
-	2	5,123,045.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 16:18

-	213	((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) and (713/200 and (obscur\$5 OR obfusc\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:58
-	43	(Block\$2 NEAR Chain\$3) ADJ encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 11:06
-	78	transform\$6 SAME ((generat\$3 ADJ instruction\$1) OR (generate\$3 ADJ second ADJ (code OR number)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:50
-	14	((transform\$6 SAME ((generat\$3 ADJ instruction\$1) OR (generate\$3 ADJ second ADJ (code OR number)))) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))) AND compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:18
-	1411716	compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:41
-	198688	transformation\$1 OR "record of transformation"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:44
-	0	(713/190.CCLS. OR 713/189.ccls.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR (transformation\$1 OR "record of transformation"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:51
-	1093259	instruction\$1 OR rule\$1 OR record!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:50
-	0	(713/190.CCLS. OR 713/189.ccls.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR ((transformation\$1 OR "record of transformation") OR (instruction\$1 OR rule\$1 OR record!)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:51
-	1	(713/190.CCLS. OR 713/189.ccls.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR2 (transformation\$1 OR "record of transformation"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:17
-	2	5892899.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 09:44
-	157	713/190.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:49
-	10250	712/\$.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:49

-	3989	713/200	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:50
-	546	713/189.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:50
-	0	(encrypt\$4 WITH ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:17
-	22289370	(@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:02
-	0	(encrypt\$4 SAME ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:02
-	0	(encrypt\$4 WITH ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:03
-	0	((encrypt\$4 SAME ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)))) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:03
-	1	(encrypt\$4 SAME ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:04
-	0	(encrypt\$4 AND ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager))).AB.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:06
-	3	(encrypt\$4 AND ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:05
-	0	((encrypt\$4 AND ((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)))) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:05
-	9	((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)).AB.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:06
-	0	((((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)).AB.) AND (@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND encrypt\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:06
-	0	((((run\$1time ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)).AB.) AND (@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND cryptograph\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:06

-	5	((run\$itime ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)).AB.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/28 13:06
-	0	(encrypt\$4 WITH ((run\$itime ADJ manage\$4) OR (run-time ADJ manager) OR (run ADJ time ADJ manager))).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/28 13:17
-	0	(encrypt\$4 WITH ((run\$itime ADJ manager) OR (run-time ADJ manager) OR (run ADJ time ADJ manager)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/28 13:17